

## Damixa Space, 1-handle basin mixer

### Holder/Issued to

**FM Mattsson Denmark ApS**

Hvidkærvej 48, 5250 Odense SV, Denmark

### Product description

Damixa Space 1-handle mixer, for washbasins with or without pop-up waste valve or pull rod waste valve. The mixers have adjustable flow restrictor and temperature lock. Mixers are supplied with flexible connection hoses that are covered by Swedish technical approval and have connection G 3/8".

### Intended use

Single handle mixer intended for drinking water.

### Trade name

1-handle basin mixer,  
Damixa Space, Damixa No. 100210000.  
Damixa Space Rehab, Damixa No. 104210000.  
Damixa Space with pop up waste valve, Damixa No. 108210000.  
Damixa Space with pull rod waste valve, Damixa No. 108220000.

### Approval

The products satisfy the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR):

Tap water installations	6:62, 1 <sup>st</sup> sentence and 2 <sup>nd</sup> paragraph and general recommendation
Tap water flow	6:623, 1 <sup>st</sup> sentence
Design	6:625, 1 <sup>st</sup> och 4 <sup>th</sup> paragraph

### Associated documents

Installation instruction 20026.00, version 2022-06.  
User instruction 12676.00 Damixa, version 2021-09.

## Control

The factory production control (FPC) is monitored by an independent inspection body.  
Control plan: Ref no. 210-17-0103, dated 2020-09-10, Inspection body: RISE.

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

## Manufacturing places

Production control includes the following places:  
FM Mattsson Denmark ApS Odense and production site 912350.

## Marking

The products are to be marked at the factory. The marking consists of a text on every product and packing and includes:

Distributor*	Damixa
Product type designation	<i>see trade name</i>
Consecutive date of production*	<i>year.week</i>
Type approval number	SC0703-17
Boverket's registered trade mark	†
RISE Accreditation number	1002
Certification body and Inspection body	RISE

\*text on mixer

## Basis for approval

Report DL-43580 from D-lab.  
Report 160200935/A12509-TR-B-rev0 from Kiwa.  
Report 178092-B from RISE.  
Report 5351382-01 from LGA.  
Report 289853C from DTI.  
Report 392-2016-00464001 from Eurofins.

## Comments

Mixers are approved in accordance with SS-EN 817.  
Test according to NKB 4 is performed in triplicate to verify that migration of Nickel is <80 µg.

Classification of sound properties has been approved in accordance with EN ISO 3822.

Group 1: max 20dB (A) Lap at 0,3 MPa.

Group 2: max 30dB (A) Lap at 0,3 MPa.

Group 3: not classified.

The mixers are classified in group 1.

Associated documents shall accompany the product or by other means be available to users of the product.

This type approval supersedes the previous type approval with the same number dated 2021-03-16, valid through 2022-06-14.

## Validity

Valid through 2027-06-29.

Validity of this type approval can be verified on our website.

The validity of this type approval expires when the type approved products with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.



Stefan Coric

*This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish text shall take precedence*