

Type Approval and decision on production control SC0762-17

Damixa Tradition, 1-handle kitchen/basin mixer

Holder/Issued to

FM Mattsson Denmark ApS

Hvidkærvej 48, 5250 Odense SV, Denmark

Product description

Damixa Tradition 1-handle mixer for wash basins and kitchen. The mixers have adjustable flow restrictor, temperature lock and with or without shut off valve for dishwasher. The swivel is limited to 120° . Mixers are supplied with flexible connection hoses that are covered by Swedish technical approval and have connection G $3/8^{\circ}$.

Intended use

Single handle mixer intended for drinking water.

Trade name

1-handle kitchen mixer, Damixa Tradition, Damixa no. 370690000. Damixa Tradition Brass, Damixa no. 370697700. Damixa Tradition Copper, Damixa no. 370698000.

Damixa Tradition with dishwasher shut off, Damixa no. 370710000. Damixa Tradition Brass with dishwasher shut off, Damixa no. 370717700. Damixa Tradition Copper with dishwasher shut off, Damixa no. 370718000.

1-handle basin mixer,

Damixa Tradition with high spout, Damixa no. 376210000.

Approval

The products satisfy the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR):

Tap water installations 6:62, 1st sentence and 2nd paragraph and general recommendation

Tap water flow 6:623, 1st sentence

Design 6:625, 1st och 4th paragraph







Type Approval and decision on production control

Associated documents

Installation instruction 20142.00, version 2021-10. Skötselanvisning 12676.00, version 2021-09.

Control

The factory production control (FPC) is monitored by an independent inspection body. Control plan: Ref no. 210-17-0103, dated 2020-09-10, Inspection body: RISE.

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

Manufacturing places

Production control includes the following places: FM Mattsson Denmark ApS Odense and production site 912350.

Marking

The products are to be marked at the factory. The marking consists of a text on every product and packing and includes:

Distributor*
Product type designation
Consecutive date of production*
Type approval number
Boverket's registered trade mark
RISE Accreditation number
Certification body and Inspection body

Damixa see trade name year.week SC0762-17

T 1002 RISE

*text on mixer

Basis for approval

Reports 178092-B rev1 and 7P04475E from RISE. Reports DL-61173 and DL-43580 from D-Lab. Report 392-2015-00322701 rev. 2 from Eurofins. Report SBF2015F0452 from Sintef. Report 57214216-1 from LGA.



Type Approval and decision on production control

Comments

Mixers are approved in accordance with SS-EN 817.

Test according to NKB 4 is performed in triplicate to verify that migration of Nickel is <80 µg.

Classification of sound properties has been approved in accordance with EN ISO 3822.

Group 1: max 20dB (A) Lap at 0,3 MPa.

Group 2: max 30dB (A) Lap at 0,3 MPa.

Group 3: not classified.

The mixers are classified in group 1.

Associated documents shall accompany the product or by other means be available to users of the product. This type approval supersedes the previous type approval with the same number dated 2021-03-17, valid through 2022-08-17.

Validity

Valid through 2027-09-25.

Validity of this type approval can be verified on our website.

The validity of this type approval expires when the type approved products with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

Stefan Coric

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish text shall take precedence.