

Damixa Osier and Mora Pullout, single lever kitchen mixer

Holder/Issued to

FM Mattsson Denmark ApS

Hvidkærvej 48, 5250 Odense SV, Denmark

Product description

Damixa Osier and Mora Pullout single lever mixer for kitchen, Damixa Osier can be equipped with shut off valve for dishwasher. The mixers have adjustable flow restrictor and temperature lock, swivel is limited to 120° and equipped with pull out hose. Mixers are supplied with flexible connection hoses that are covered by Swedish technical approval and have connection G 3/8".

Intended use

Single handle mixer intended for hot- and cold tap water.

Trade name

Damixa Osier with C-spout and pullout, Damixa no. 181200000

Damixa Osier with C-spout, pullout and dishwasher shut off, Damixa no. 181400000

Damixa Osier with L-spout and pullout, Damixa no. 181210000

Mora Pullout with C-spout, MA nr. 702695

Approval

The products satisfy the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR) issued by the National Board of Housing, Building and Planning.

| | |
|-------------------------|---|
| Tap water installations | 6:62, 1 st sentence and 2 nd paragraph and general recommendation |
| Tap water flow | 6:623, 1 st sentence |
| Back flow prevention | 6:624 |
| Design | 6:625, 1 st och 4 th paragraph |

Associated documents

Installation instruction 20123.00, dated 2020-03.

Installation instruction 20152.00, dated 2020-08.

Installation instruction 20167.00 Mora Pull Out Spray, dated 2016-11 rev.007.

User instruction 12676.00, version 2021-09.

Type Approval SC0731-17 | 2027-08-27

RISE Research Institutes of Sweden AB | Certification

Box 857, 501 15 Borås

+46 10 516 50 00 | certifiering@ri.se | www.ri.se

1259171

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE



Control

The factory production control (FPC) is monitored by an independent inspection body.

Control plan: Ref no. CR074 dated 2018-10-10 Inspection body: RISE

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

Manufacturing places

Production control includes the following places:

FM Mattsson Denmark ApS Odense and production site 912350

Marking

The products are to be marked at the factory. The marking consists of a text on every product and packing supplied and includes:

| | |
|----------------------------------|----------------|
| Distributor* | Damixa |
| Product type designation | see trade name |
| Consecutive date of production* | year.week |
| Type approval number | SC0731-17 |
| Boverket's registered trade mark | † |
| RISE Accreditation number | 1002 |
| Inspection body | RISE |

*text on mixer

Basis for approval

Reports K-306338-18-Ko, W-307668e-19-SI/Krü, K-339149-21-Kr/st and W-339265e-21-SI/Krü from Hy.
Report 414009 from DTI.

Report 392-2016-00008601-03 from Eurofins.

Reports SBF2016F0148, SBF2015F0178, SBF2015F0451A and 202300183 from Sintef.

Report VTT-S-00142-15 from VTT.

Report 57214216-1 from LGA.

Reports 178092-B rev1, 178092-A, 2P05293 and 1206213-A_rev1 from RISE.

Comments

Mixers are approved in accordance with SS-EN 817.

Test according to NKB 4 is performed in triplicate to verify that migration of Nickel is <80 µg.

Classification of sound properties has been approved in accordance with EN ISO 3822.

Group 1: max 20dB (A) Lap at 0,3 MPa.

Group 2: max 30dB (A) Lap at 0,3 MPa.

Group 3: not classified.

mixers are classified in group 1.

documents shall accompany the product or by other means be available to users of the product.

This type approval supersedes the previous type approval with the same number dated 2023-02-10.

Type Approval SC0731-17 | 2027-08-27

RISE Research Institutes of Sweden AB | Certification

Validity

Valid through 2028-02-09.

The validity of this type approval can be verified at RISE homepage.

The validity of this type approval expires when the type approved products with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

A handwritten signature in blue ink, appearing to read 'Stefan Coric'.

Stefan Coric

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.