

Damixa Tradition, 3-Hole basin mixer

Holder/Issued to

FM Mattsson Denmark ApS

Hvidkærvej 48, 5250 Odense SV, Denmark

Product description

Damixa Tradition, 3-Hole basin mixer with G 1/2" male thread for connection.

Intended use

Dual lever mixer intended for hot and cold tap water.

Trade name

Damixa Tradition, 3-Hole basin mixer with pop up waste valve, Damixa No. 370780000.

Approval

The products satisfies the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR) issued by the National Board of Housing, Building and Planning.

Tap water installations

6:62, 1st sentence and 2nd paragraph and general recommendation

Tap water flow

6:623, 1st sentence

Design

6:625, 1st och 4th paragraph

Associated documents

Installation instruction 12095.00, dated 2017-06

User instruction 12676.00, dated 2021-09

Control

The factory production control (FPC) is monitored by an independent inspection body.

Control plan: Ref no. CR074 dated 2018-10-10, Inspection body: RISE

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

Manufacturing places

Production control includes the following places:

FM Mattsson Denmark ApS Odense and production site 912350.

Type Approval SC0740-17 | 2025-02-01


RISE Research Institutes of Sweden AB | Certification

Box 857, 501 15 Borås

☎ +46 10 516 50 00 | certifiering@ri.se | www.ri.se

1282633

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE



Akkred. nr. 1002
Produktcertifiering
ISO/IEC 17065

Marking

The products are to be marked at the factory. The marking consists of a text on every product and packing supplied and includes:

Distributor*	Damixa
Product type designation	trade name
Consecutive date of production*	yy-mm
Type approval number	SC0740-17
Boverket's registered trade mark	†
RISE Accreditation number	1002
Inspection body	RISE

*Text on mixer

Basis for approval

Reports 178092-B rev1, 7P04475-19B, 1293419-A and 1293419-B from RISE.
Report 3D101014A, 201700204, 201700088 and 202201249 from Sintef.
Report 3392-2016-00195101 from Eurofins.

Comments

Mixers are approved in accordance with SS-EN 200.
Test according to NKB 4 is performed in triplicate to verify that migration of Nickel is <80 µg.

Classification of sound properties has been approved in accordance with EN ISO 3822.
Group 1: max 20 dB(A) Lap at 0,3 MPa
Group 2: max 30 dB(A) Lap at 0,3 MPa
Group 3: not classified

Mixers are classified in group 1.

Associated documents shall accompany the product or by other means be available to users of the product.

This type approval supersedes the previous type approval with the same number dated 2023-02-10

Validity

Valid through 2028-02-09.

The validity of this type approval can be verified at RISE homepage.
The validity of this type approval expires when the type approved products with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

Stefan Coric

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.