

Damixa Swivel spouts

Holder/Issued to

FM Mattsson Mora Group Danmark ApS

Østbirkvej 2, 5240 Odense NØ, Denmark.

Organisation number: 56416218.

Tel: +45 63102210, fax: +45 63102209

E-mail: danmark@fmm-mora.com Web: www.damixa.com

Product description

Swivel spouts intended for Damixa mixers.

Intended use

Swivel spout intended for drinking water.

Trade name

Damixa Swivel spout length 200 mm, Damixa no. 480750000.

Damixa Swivel spout length 150 mm, Damixa no. 480760000.

Damixa Swivel spout length 300 mm, Damixa no. 480890000.

Damixa Swivel spout length 250 mm, Damixa no. 480930000.

Damixa Swivel spout length 400 mm, Damixa no. 480940000.

Approval

The products satisfy the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this certificate, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR):

Tap water installations*	6:62,	1 st sentence and 2 nd paragraph and general recommendation
Tap water flow	6:623	1 st sentence
Design	6:625,	1 st and 4 th paragraph

*Products comply with Boverket's (the National Board of Housing, Building and Planning) updated threshold value for max. amount of dissolved lead as described in BBR 21, 2014-06-17.

Associated documents

User instruction Damixa, version 12.06 - 12676.00.

Control

The factory production control (FPC) is monitored by an independent inspection body.

Control agreement: 210-17-0103. Inspection body: RISE Research Institutes of Sweden AB.

When the building proprietor performs inspection at the building site, he shall check the markings to ensure that the correct products have been supplied and that they are used in accordance with the requirements stated in the approval and the associated documents. He must also check that the product is accompanied by a manufacturing assurance, which certifies that the product has been manufactured in accordance with the documents on which this approval is based.

Type approval SC0749-17 | 2017-08-21

RISE Research Institutes of Sweden AB | Certification

Box 857, SE-501 15 Borås, Sweden

Tel: +46 10-516 50 00

certifiering@ri.se | www.ri.se



Internal No.: 7P03168



Page 1 (2)

Manufacturing place

Production control includes the following place:
FM Mattsson Mora Group Danmark ApS Odense and production site 912350.

Marking

The products are to be marked at the factory.
The marking consists of a text on every product and packing and includes:

Distributor*

Boverket's registered trade mark
Certification body and accreditation number
Type approval number
Product type designation
Consecutive manufacture year and month*
Inspection body

Damixa
†
RISE Certifiering 1002
SC0749-17
trade name
yy.mm
RISE

*text on mixer

Basis for approval

Report 392-2015-00323001-03 from Eurofins, Denmark.

Comments

Test according to NKB 4 is performed in triplicate to verify that migration of Nickel is <80µg.

Validity

Valid through 2022-08-20.

The validity of this approval expires when the characteristics included in this approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

Ingvar Pettersson

Marcus Tillman