

# Pine, Solid, and Viskan single lever kitchen and basin mixer

## Holder/Issued to

FM Mattsson Denmark ApS

Hvidkærvej 48, 5250 Odense SV, Denmark

## Product description

Damixa Pine, Damixa Solid and Mora Lionx single lever mixer for kitchen and wash basins. The mixers have adjustable flow restrictor, temperature lock, cartridge with energy saving cold start. All mixers are available with or without shut off valve for dishwasher. The swivel is limited to 120°. The mixers are supplied with flexible connection hoses that are covered by Swedish technical approval and have connection G3/8".

FM Mattsson Viskan single lever mixer for kitchen basins. The mixers have adjustable flow restrictor and temperature lock. Mixers are available with or without shut off valve for dishwasher. The swivel is limited to 120°. The mixers are supplied with flexible connection hoses that are covered by Swedish technical approval and have connection Ø 10 mm tube.

## Intended use

Single lever mixer intended for hot and cold tap water.

## Trade name

Damixa Pine kitchen mixer with dishwasher shut off, Damixa No. 17061--00.

Damixa Pine kitchen mixer, Damixa No. 17066--00.

Damixa Pine basin mixer, Damixa No. 17630--00.

Damixa Solid kitchen mixer with high spout and dishwasher shut off, chrome, Damixa No. 310710000.

For Pine model, 6th and 7th digit position in the article No. describes the color:


00= chrome, 46= steel, 61= matt black

FM Mattsson Viskan kitchen mixer, FMM no. 4900000-.

FM Mattsson Viskan kitchen mixer with dishwasher shut off I, FMM no. 4901000-.

For Viskan models the 8th digit position in the product No describes colour:

0 = chrome, 4 = matt black



## Approval

The products satisfy the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR):

Tap water installations	6:62, 1 st sentence and 2nd paragraph and general recommendation
Tap water flow	6:623, 1st sentence
Design	6:625, 1st och 4th paragraph .

The provisions in Section 6:641 "Waste water installations" third paragraph of the Building Regulations (BBR) shall always be considered when installing.

## Associated documents

Installationsanvisning 20157.00, dated 2020-04.  
Installationsanvisning 20235.00, dated 2020-08.  
Installationsanvisning 20237.00, dated 2020-02.  
Installations- och skötselansvisning 20194.00, Mora LIONX, dated 2021-09-01 Rev. 005.  
Skötselansvisning 12676.00, dated 2021-09  
Installationsanvisning Rev.004 -- 2021.10.26 -- FMM nr 20184.00

## Control

The factory production control (FPC) is monitored by an independent inspection body.  
Control plan: CR074, dated 2018-10-10, Inspection body: RISE

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

## Manufacturing place

Production control includes the following places:  
FM Mattsson Denmark ApS Odense and production site 912350.

## Marking

The product/s is/are to be marked at the factory. The marking consists of a on every product supplied and includes:

Holder/Distributor	FM Mattsson Denmark ApS
Product type designation	Trade name
Date of production	no/date
Type approval number	SC0984-17
Boverket's registered trade mark	
RISE Accreditation number	1002
Inspection body	RISE

## Basis for approval

Report 032100466-0001 from Kiwa.  
Report 392-2020-00361801\_XB\_EN from Eurofins.  
Report t W-237426kk-13-SI from Hy.  
Reports 178092-B rev1 och 178092-A from RISE.  
Report 57214216-01 from LGA, Tyskland.  
Report VTT-S-00142-15 from VTT, Finland.  
Reports SBF2015F0288, SBF2015F0290, SBF2015F0451A och 2023:00183 from Sintef, Norge.

## Comments

Mixers are approved in accordance with SS-EN 817.

Classification of sound properties has been approved in accordance with EN ISO 3822.

Group 1: max 20dB (A) Lap at 0,3 MPa.

Group 2: max 30dB (A) Lap at 0,3 MPa.

Group 3: not classified.

The mixers are classified in group 1

Associated documents shall accompany the product or by other means be available to users of the product.

This type approval supersedes the previous type approval with the same number dated 2023-02-10.

## Validity

Valid through 2028-02-09.

The validity of this type approval can be verified at RISE homepage.

The validity of this type approval expires when the type approved products with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

A handwritten signature in blue ink, appearing to read 'Martin Tillander', with a long horizontal flourish extending to the right.

Martin Tillander

*This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.*