

Damixa Space, 1-handle kitchen mixer

Holder/Issued to

FM Mattsson Denmark ApS

Hvidkærvej 48, 5250 Odense SV, Denmark

Product description

Damixa Space 1-handle mixer for kitchen, with or without shut off valve for dishwasher. Swivels are limited to 120°. Mixers are supplied with flexible connection hoses that are covered by Swedish technical approval and have connection G 3/8".

Intended use

Single handle mixer intended for drinking water.

Trade name

Damixa Space with connection 3/8", Damixa no. 100700000.

Damixa Space with dishwasher shut off, connection 3/8", Damixa no. 100710000.

Approval

The products satisfy the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR) issued by the National Board of Housing, Building and Planning.

Tap water installations	6:62, 1 st sentence and 2 nd paragraph and general recommendation
Tap water flow	6:623, 1 st sentence
Design	6:625, 1 st och 4 th paragraph

Associated documents

Installation instructions 12150.00, version 2021-06.

Installation instructions 20199.00, version 2021-10.

User instruction 12676.00, version 2021-09..

Control

The factory production control (FPC) is monitored by an independent inspection body.

Control plan: Ref no. CR074 dated 2018-10-10 Inspection body: RISE

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

Type Approval SC0706-17 | 2024-08-27


RISE Research Institutes of Sweden AB | Certification

Box 857, 501 15 Borås

☎ +46 10 516 50 00 | certifiering@ri.se | www.ri.se

1259171

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE



Manufacturing places

Production control includes the following places:
FM Mattsson Denmark ApS Odense and production site 912350

Marking

The products are to be marked at the factory. The marking consists of a text on every product and packing supplied and includes:

Distributor*	Damixa
Product type designation	see trade name
Consecutive date of production	year.week
Type approval number	SC0706-17
Boverket's registered trade mark	†
RISE Accreditation number	1002
Inspection body	RISE

*text on mixer

Basis for approval

Report DL-61173 from D-Lab
Report 392-2020-00573201_XB_EN from Eurofins
Report 178092-B rev1, 7P04475E and 1206213-A_rev1 from RISE
Report 202300183 from Sintef
Report 7381279-01 from LGA
Report 6P09796-01 from SP
Report VTT-S-00142-15 from VTT

Comments

Mixers are approved in accordance with SS-EN 817.
Test according to NKB 4 is performed in triplicate to verify that migration of Nickel is <80 µg.

Classification of sound properties has been approved in accordance with EN ISO 3822.

Group 1: max 20dB (A) Lap at 0,3 MPa.
Group 2: max 30dB (A) Lap at 0,3 MPa.
Group 3: not classified.

The mixers are classified in group 1.

Associated documents shall accompany the product or by other means be available to users of the product.

This type approval supersedes the previous type approval with the same number dated 2022-08-31.

Validity

Valid through 2027-08-30.

The validity of this type approval can be verified at RISE homepage.

The validity of this type approval expires when the type approved products with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

A handwritten signature in blue ink, appearing to read 'Stefan Coric'.

Stefan Coric

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.