

Damixa Pine and Mora Lionx, single lever kitchen mixer

Holder/Issued to

FM Mattsson Denmark ApS

Hvidkærvej 48, 5250 Odense SV, Denmark

Product description

Damixa Pine and Mora Lionx single lever mixer for kitchen, with or without shut off valve for dishwasher. The mixers have adjustable flow restrictor, temperature lock and cartridge with cold start. Mixers are supplied with flexible connection hoses that are covered by Swedish technical approval and have connection G3/8"

Intended use

Single handle mixer intended for hot or cold tap water.

Trade name

Damixa Pine 1-handle kitchen mixer with cold start and connection G3/8", chrome, Damixa no. 170000000.

Damixa Pine 1-handle kitchen mixer with cold start, dish washer shut off and connection G3/8", chrome, Damixa no. 170010000.

Mora Lionx (B aerator) 1-handle kitchen mixer with cold start and connection G3/8", chrome, Damixa no. 392200.

Mora Lionx (B aerator) 1-handle kitchen mixer with cold start, dish washer shut off and connection G3/8", chrome, Damixa no. 392250.

Mora Lionx (B aerator) 1-handle kitchen mixer with cold start, dish washer shut off and connection G3/8", matt black, Damixa no. 392250.12.

Approval

The products satisfy the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR) issued by the National Board of Housing, Building and Planning.

Tap water installations	6:62, 1 st sentence and 2nd paragraph and general recommendation
Tap water flow	6:623, 1st sentence
Design	6:625, 1st och 4th paragraph

Associated documents

Installation instruction Damixa Pine20157.00, dated 2022-06.

Cold start instruction 20159.00, dated 2017-07.

User instruction 12676.00, dated 2021-09.

Installation instruction20195.00, Mora Lionx, dated 2021-09-01 Rev.003.

Installation instruction 20196.00, Mora Lionx, dated 2021-09-01 Rev.005.

Type Approval SC0744-17 | 2024-08-27


RISE Research Institutes of Sweden AB | Certification

Box 857, 501 15 Borås

☎ +46 10 516 50 00 | certifiering@ri.se | www.ri.se

1259171

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE



Control

The factory production control (FPC) is monitored by an independent inspection body.

Control plan: Ref no. CR074 dated 2018-10-10 Inspection body: RISE

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

Manufacturing places

Production control includes the following places:

FM Mattsson Denmark ApS Odense and production site 912350

Marking

The product is to be marked at the factory. The marking consists of a text on every product and packing supplied and includes:

Distributor*	Damixa
Product type designation	see trade name
Consecutive date of production*	year.week
Type approval number	SC0744-17
Boverket's registered trade mark	†
RISE Accreditation number	1002
Inspection body	RISE

* text on mixer

Basis for approval

Reports 2P05293,178092-B rev1 and 1206213-A_rev1 from RISE

Report VTT-S-00142-15 from VTT.

Reports 201700371, 201700023, SBF2015F0288, SBF2015F0290 and 202300183 from Sintef.

Report 57214216-1 from LGA.

Comments

The mixer is approved in accordance with SS-EN 817.

Test according to NKB 4 is performed in triplicate to verify that migration of Nickel is < 80 µg.

Classification of sound properties has been approved in accordance with EN ISO 3822.

Group 1: max 20 dB(A) Lap at 0,3 MPa.

Group 2: max 30 dB(A) Lap at 0,3 MPa.

Group 3: not classified.

The tap valve is classified in group 1

Associated documents shall accompany the product or by other means be available to users of the product.

This type approval supersedes the previous type approval with the same number dated 2023-02-10.

Validity

Valid through 2028-02-09.

The validity of this type approval can be verified at RISE homepage.

The validity of this type approval expires when the type approved products with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

A handwritten signature in blue ink, appearing to read 'Stefan Coric'.

Stefan Coric

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.