

Marking

The products are to be marked at the factory. The marking consists of a text on every product and packing supplied and includes:

Distributor*	Damixa
Product type designation	trade name
Consecutive date of production*	yy-mm
Type approval number	SC0778-17
Boverket's registered trade mark	†
RISE Accreditation number	1002
Inspection body	RISE
*Marking on mixer	

Basis for approval

Report 032100466-0001 from Kiwa
Report W-237426kk-13-SI from Hy
Report 1301059A from DTI
Report Rapport 8495204-AT1-a from LGA
Report 8495204-AT1-a from TÜV Rheinland
Report 392-2020-00573201_XB_EN and 392-2015-00257401-03 from Eurofins
Report 201700371, 201700088 and 202201249 from Sintef
Report VTT-S-00142-15 from VTT
Report 178092-B rev1, 178092-A, 2P05293, 2P05293-01ARev1, 1293419-A and 1293419-B from RISE

Comments

Mixer is approved in accordance with SS-EN 200.

Test according to NKB 4 is performed in triplicate to verify that migration of Nickel is <80 µg.

Classification of sound properties has been approved in accordance with EN ISO 3822. The mixer is classified in group 1.

Group 1: max 20dB (A) Lap at 0,3 MPa

Group 2: max 30dB (A) Lap at 0,3 MPa

Group 3: not classified

Associated documents shall accompany the product or by other means be available to users of the product.

This type approval supersedes the previous type approval with the same number dated 2023-02-10

Validity

Valid through 2028-02-09.

The validity of this type approval can be verified at RISE homepage.

The validity of this type approval expires when the type approved product with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.



Stefan Coric

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.

Type Approval SC0778-17 | 2025-02-01

RISE Research Institutes of Sweden AB | Certification